


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) - [Recent articles](#) Results 11 - 20 of about 357 for (doublecortin OR KIAA0404)

Expression of doublecortin in tumours of the central and peripheral nervous system and in human non- ...

C Bernreuther, N Salein, J Matschke, C Hagel - *Acta Neuropathologica*, 2006 - Springer

... hippo- campus and subventricular zone [1, 9]. Thus, expression of doublecortin in glial ... 18] who performed expression profiling of glioblastoma, revealing double ...

[Cited by 5](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 3 versions](#)

High Expression of Doublecortin and KIAA0369 Protein in Fetal Brain Suggests Their Specific Role in ... - [►amjpathol.org](#) [\[HTML\]](#)

M Mizuguchi, J Qin, M Yamada, K Ikeda, S Takashima - *American Journal of Pathology*, 1999 - ASIP

... 14,15 The predicted gene product, doublecortin (DC), is a novel protein with a ... 20

NB1 and TGW-III neuroblastoma cells, and I-23 and Bu17 glioma cells, as well ...

[Cited by 39](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 4 versions](#)

[CITATION] LU: research

D Bexell, S Gunnarsson, J Nordquist, J Bengzon - *Neuroscience*, 2007

[Related articles](#) - [Web Search](#)

CD133+ and CD133-Glioblastoma-Derived Cancer Stem Cells Show Differential Growth Characteristics and ... - [►aacrjournals.org](#) [\[HTML\]](#)

D Beier, P Hau, M Proescholdt, A Lohmeier, J ... - *Cancer Research*, 2007 - AACR

... anti-nestin, anti-NeuN, anti-Musashi (all from Chemicon), anti-doublecortin (Santa Cruz ... Fan X, Salford LG, Widegren B. Glioma stem cells: evidence and limitation ...

[Cited by 52](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 3 versions](#)

HEDGEHOG-GLI1 Signaling Regulates Human Glioma Growth, Cancer Stem Cell Self-Renewal, and ... - [►nih.gov](#) [\[HTML\]](#)

V Clement, P Sanchez, N de Tribolet, I Radovanovic ... - *Current Biology*, 2007 - Elsevier

... F) Inhibition of clonogenicity of CD133 + cells isolated from three glioma stem cell ... Note that the expression of GFAP, NCAM, EGFR, DOUBLECORTIN (DCX), and BCAN ...

[Cited by 56](#) - [Related articles](#) - [Web Search](#) - [All 21 versions](#)

... alpha-Positive B Cells Are Neural Stem Cells in the Adult SVZ that Form Glioma-like Growths in ...

EL Jackson, JM Garcia-Verdugo, S Gil-Perotin, M ... - *Neuron*, 2006 - neuron.org

... adult brain normally respond to PDGF may provide insights into the glioma cell of ... did the staining colocalize with that of PSA-NCAM or doublecortin, which mark ...

[Cited by 1](#) - [Related articles](#) - [Web Search](#) - [All 4 versions](#)

Ki67 and Doublecortin Positive Cells in the Human Prefrontal Cortices of Normal Aging and Vascular ...

G Lu, SM Wai, WS Poon, DT Yew, P Cortex - *MICROSCOPY RESEARCH AND TECHNIQUE*, 2005 - doi.wiley.com

... and for prognostic evaluation in the study of CNS tumors, eg, glioma and adenoma ...

On the other hand, doublecortin is a protein of immature neurons (Howell et al ...

[Cited by 1](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 6 versions](#)

Cannabinoids Induce Glioma Stem-like Cell Differentiation and Inhibit Gliomagenesis -

► [jbc.org](#) [\[HTML\]](#)

T Aguado, A Carracedo, B Julien, G Velasco, G ... - Journal of Biological Chemistry, 2007 - ASBMB

... as shown by increased nestin, Musashi-1, and doublecortin expression (28-30 ... more efficient therapeutic management (1, 2). Genetic modeling of glioma origin has ...

[Cited by 10](#) - [Related articles](#) - [Web Search](#) - [All 4 versions](#)

[\[HTML\] ► Regulation of survival in adult hippocampal and glioblastoma stem cell lineages by the homeodomain- ...](#)

A De Toni, M Zbinden, JA Epstein, AR I Altaba, A ... - Neural Development, 2008 - pubmedcentral.nih.gov

... type 2 cells), which are nested along astrocytic processes [16] and express doublecortin (DCX) [24 ... of HOP was higher in normal samples than in glioma resections ...

[Related articles](#) - [Web Search](#) - [All 6 versions](#)

Characterization of the subventricular zone neurogenic response to rat malignant brain tumors

D Bexell, S Gunnarsson, J Nordquist, J Bengzon - Neuroscience, 2007 - Elsevier

... a malignant tumor. Key words: brain tumor; neuroblast; doublecortin; glioma; rat; neurogenesis. Abbreviations: BrdU, 5-bromodeoxyuridine ...

[Cited by 1](#) - [Related articles](#) - [Web Search](#) - [All 3 versions](#)

Key authors: [F Furnari](#) - [H Lin](#) - [H Huang](#) - [W Cavenee](#) - [M Hatten](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google